






CONSTRUCTION SPECIFICATIONS

- STONE SIZE - USE 2" TO 3" STONE.
- LENGTH - GREATER THAN OR EQUAL TO 50 FEET
- THICKNESS - 8"
- WIDTH - TWELVE FOOT MINIMUM (ONE WAY), TWENTY FOUR FOOT MINIMUM (TWO WAY), BUT NOT LESS THAN THE FULL WIDTH AT POINTS WHERE INGRESS OR EGRESS OCCURS.
- SURFACE WATER - ALL SURFACE WATER FLOWING OR DIVERTED TOWARD CONSTRUCTION ENTRANCES SHALL BE PIPED ACROSS THE ENTRANCE. IF PIPING IS IMPRACTICAL, A MOUNTABLE BERM SHALL BE PERMITTED.
- MAINTENANCE - THE ENTRANCE SHALL BE MAINTAINED IN A CONDITION WHICH SHALL PREVENT TRACKING OR FLOWING OF SEDIMENT ONTO PUBLIC RIGHTS-OF-WAY. THIS MAY REQUIRE PERIODIC TOP DRESSING WITH ADDITIONAL STONE AS CONDITIONS DEMAND AND REPAIR OR CLEANOUT OF ANY MEASURES USED TO TRAP SEDIMENT. ALL SEDIMENT SPILLED, DROPPED, WASHED OR TRACKED ONTO PUBLIC RIGHTS-OF-WAY MUST BE REMOVED IMMEDIATELY.
- PERIODIC INSPECTION AND NEEDED MAINTENANCE SHALL BE PROVIDED.




STABILIZED CONSTRUCTION ENTRANCE
NOT TO SCALE



CHAIN LINK CONSTRUCTION FENCE
NOT TO SCALE

CONSTRUCTION FENCE AND GATE NOTES

- FABRIC SHALL BE 0.148" WIRE, WOVEN INTO APPROXIMATELY 2" DIAMOND MESH.
- THE FENCE FABRIC SHALL BE ZINC COATED STEEL OR ALUMINUM COATED STEEL.
- FENCE POSTS SHALL RECEIVE THE SAME COATING AND TREATMENT AS THE FENCE FABRIC (DESCRIBED ABOVE).
- THE CONTRACTOR SHALL ADD A GREEN WIND SCREEN
- LINE POSTS SHALL BE 2 1/2" O.D. OR CORNER POSTS SHALL BE 3" O.D.
- THE CONTRACTOR IS RESPONSIBLE FOR SURFACE RESTORATION ONCE THE FENCE IS REMOVED.
- THE CONTRACTOR SHALL REMOVE AND DISPOSE OF THE TEMPORARY CONSTRUCTION FENCE AT THE CONCLUSION OF THE PROJECT.



TEMPORARY CONSTRUCTION CHAIN LINK FENCE WITH BALLAST BASE
NOT TO SCALE

NOTES

- END, GATE AND CORNER POSTS SHALL BE BRACED TO ADJACENT LINE POSTS. (MORE THAN 30' CHANGE IN DIRECTION CONSTITUTES A CORNER)
- FABRIC SHALL BE 0.148" GAUGE MIN. WIRE, WOVEN INTO APPROXIMATELY 2" DIAMOND MESH.
- ZINC-COATED STEEL FABRIC BASE METAL SHALL BE COATED WITH PRIME WESTERN SPELTER OR EQUAL.
- ALUMINUM COATED STEEL FABRIC BASE METAL SHALL BE COATED WITH ALUMINUM ALLOY.
- LINE POSTS SHALL BE 2 1/2" O.D. END OR CORNER POSTS SHALL BE 3" O.D.
- THE CONTRACTOR IS RESPONSIBLE FOR SURFACE RESTORATION ONCE THE FENCE IS REMOVED.
- THE CONTRACTOR SHALL REMOVE AND DISPOSE OF THE TEMPORARY CONSTRUCTION FENCE AT THE CONCLUSION OF THE PROJECT.

MPA MARGULIES PERRUZZI ARCHITECTS
308 Congress Street | Boston, MA 02210 | 617.482.3322 | www.mp-architects.com
Design for the way you work.

CLIENT INFORMATION
MILL & MAIN RENOVATION PHASE 1 & 1A
AS CLOCK TOWER OWNER LLC
146 MAIN STREET
MAYNARD, MA 01754

CONSULTANT INFORMATION

MEP ENGINEERS
AFA CONSULTING ENGINEERS
1121 WASHINGTON ST., #2
LEWISTON, MA 02461
781.375.3000

CIVIL ENGINEER
NUSCH ENGINEERING
100 STATE ST., SUITE 405
BOSTON, MA 02108
617.338.0503

LANDSCAPE DESIGN
BROWN, RICHARDSON, & ROWE
3 POST OFFICE SQUARE, 3RD FLOOR
BOSTON, MA 02111
617.542.8552

STRUCTURAL ENGINEER
SIMPSON GUMPERT & HEGER
41 SEYON STREET, BLDG 1, SUITE 500
WALTHAM, MA 02453
781.917.9000

SPECIFICATIONS
KALIN ASSOCIATES
1121 WASHINGTON ST., #2
LEWISTON, MA 02461
(617) 844-5477

LIGHTING CONSULTANT
SLADEN FENSTEIN INTEG.
295 BIRNINGHAM AVE., #305
BOSTON, MA 02115
617.567.9300

GEOTECHNICAL CONSULTANT
HALEY & ALBRICH INC.
465 MERRIFORD STREET, SUITE 2200
BOSTON, MA 02119
617.868.9799

REVISIONS		
NUMBER	DESCRIPTION	DATE

STAMP

KEY PLAN

DATE.....10/19/15
SCALE.....As indicated
DRAWN BY.....NGG
PROJECT NUMBER.....10836
DRAWING TITLE
CIVIL DETAILS

C-5.01
DRAWING NUMBER